

Replacing VAXen with VAX Emulation

Stanley F. Quayle, P.E.

President
Quayle Consulting Inc.




Session goals

- Whether VAX emulation makes sense
- How to choose the best emulator and platform
- How to get started


What about porting?

- Do you have the design documentation?
- Do you have **all** the source code?
 - What about DECmigrate (OMSVA)?
 - VAX SCAN, DIBOL, LISP, OPS5, RPG
- Operating system dependency?
- Hardware dependency?
- Target platform
 - Can code **really** be reused?
 - What about stability?
- Can you validate the result?


Wine, FreeVMS, and ACCELR8



How hardware emulation works



The emulator task




CPU emulation

“TSTL XYZ”

- Retrieve state information from internal registers
- Fetch the instruction from memory
- Decode the operation to be performed
- Retrieve inputs from memory as needed
- Perform the operation
- Write results to memory as needed
- Update internal registers with the new state

The emulator task



Cost versus benefit

- The high cost of downtime
 - Customer impact
 - “Above the Fold” on Wall Street Journal
 - Data Loss
- Saving money on maintenance
 - It’s **cheap** to replace a PC
 - Limited support vendor choices
 - Hardware support for some VAXen is unavailable
- Improved performance

Available emulators

- Open-Source
 - SIMH
 - TS-10
 - Others
- Freeware
 - PicoVAX
- Commercial Product
 - CHARON-VAX

Open source or commercial?

■ Open Source

- Free: Can be downloaded from the Internet, including source code
- User-extensible

■ CHARON-VAX

- Certified by HP as being a true emulation of a VAX
- Supports Q-bus hardware
- Dynamic Instruction Translation
- Training, installation, configuration, migration, and support are available

Evaluating the current system

Major Items to Check

- CPU usage, memory size, number of users/processes
- Network
 - Protocols: DECnet, IP, LAT, cluster, IEEE 802
 - DECwindows
 - Connections
- Disk drives: size, type, shadowing
- Tape drives

Evaluating the current system

Major Items to Check

- VMS version
- Layered product versions
- **Application**

Evaluating the current system

Risky areas

■ Serial lines

- Terminal servers
- VAX serial lines
 - Console
 - Modem
- H3104, DHV-11, etc

■ Licenses

- Network MAC address as “key”
- CPU characteristics as “key”
- VMS license requirements vs. emulated system
- “It works” vs. “Is it legal”

Evaluating the current system

There Be Dragons Here


■ Operating systems

- NetBSD
- Digital Unix
- AT&T System V
- VAXELN

■ Special hardware

- Bus: CI, M-bus, SBI, Turbochannel, UNIBUS, VAXBI, XMI
- Disk interface: MASSBUS, SDI, ST-506 (MFM)
- Some hope for: DSSI, Q-bus

Special hardware: Q-bus



Choosing the host platform



- Alpha OpenVMS
 - Unquestionable stability
- Linux
 - Inexpensive
- Windows
 - Inexpensive
 - Q-bus support
 - “Industry standard”

Sizing the host platform

“You can’t have too much”

- Server-class
 - As fast as possible
- Memory
 - More with DIT
- Processor
 - Dual processors
- Disk
 - SCSI
- Network
 - Separate network adapter

Performance



Sources: HP and Software Resources International S.A.

Disk migration

- Direct disk access
 - SCSI? Just plug it in!
- Cluster
- Network
 - COPY or COPY/FTP
 - BACKUP
 - MKIMAGE
 - Poor Man disk driver
- Tape
- Serial

Backup strategies

- Tape
- Network
 - TCP/IP to host
 - NFS
- Host
 - Disk images offline
 - Disk images online
 - SCSI disks

Write a plan

- Disk migration
- Backup scheme
- Necessary updates
- Test
 - Connectivity
 - Application
 - Limited user access
- Going live
- Backout plan

Post-migration

And they lived happily ever after...

- Hardware support
- Software support
- System administration support
- New versions



HP WORLD 2003

Solutions and Technology Conference & Expo

Interex, Encompass and HP bring you a powerful new HP World.

